

CDS
LIGHTING

PENDANT COLLECTIONS

DESIGNERS FOUNTAIN



PENDANT



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1038-15-SN	2Lt Pendant	15-1/2"W x 17"H	SN	Steel+Faux Alabaster Glass	120V	2x12W
B 1038-20-SN	2Lt Pendant	20-1/8"W x 22-7/8"H	SN	Steel+Faux Alabaster Glass	120V	2x12W
C 1092-18-BN	3Lt Pendant	18"W x 19"H	PE	Steel+Faux Alabaster Glass	120V	3x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1091-15-BN	3Lt Pendant	15-3/8"W x 25"H	SN	Steel+Faux Alabaster Glass	120V	3x12W
B 1037-17-SN	3Lt Pendant	17-1/2"W x 25-1/2"H	BN	Steel+Frosted Glass	120V	3x12W
C 1096-15-SN	3Lt Pendant	15-5/8"W x 20-3/4"H	SN	Steel+Faux Alabaster Glass	120V	3x12W

CURLY



A 1025-3-NI



1025-6-OZ



C 1025-12-OZ



A 1115-15-BN



B 1116-18-BK

Additional Finishes:



NI

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1025-3-NI	3Lt Pendant Lighting	14" WX 24-1/4" H	NI	Steel	120V	3x12W
B 1025-6-OZ	6Lt Pendant Lighting	16-5/8" WX 30" H	OZ	Steel	120V	6x12W
C 1025-12-OZ	12Lt Pendant Lighting	23-5/8" WX 41-5/8" H	OZ	Steel	120V	12x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1115-15-BN	2Lt Pendant Lighting	15" WX 15-3/8" H	BN	Steel+Faux Alabaster Glass	120V	2x12W
B 1116-18-BK	3Lt Pendant Lighting	18" WX 25" H	BK	Steel+Faux Alabaster Glass	120V	3x12W



CONTEMPORARY COLLECTIONS

DESIGNERS FOUNTAIN



A 1280-23-CF-L



B 1280-19-CF-L



C 1280-43-CF-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1280-23-CF-L	LED Pendant	23-3/4" WX 47-1/4" H	CF	Steel+Aluminum	120V	78W	2200Lm	≥80Ra	3000K
B 1280-19-CF-L	LED Pendant	19-5/8" WX 47-1/4" H	CF	Steel+Aluminum	120V	45W	740Lm	≥80Ra	3000K
C 1280-43-CF-L	LED Pendant	43-3/8" LX 11-3/4" WX 47-1/4" H	CF	Steel+Aluminum	120V	52W	2600Lm	≥80Ra	3000K



A 1281-23-CH-L



A 1284-17-CH-L



B 3037-CH-L



B 1283-19-CH-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1281-23-CH-L	LED Pendant	Φ23-1/2" WX 47-1/4" H	CH	PC+Aluminum	120V	45W	1230Lm	≥80Ra	3000K
B 3037-CH-L	LED Pendant	18-1/9" LX 7" WX 20" H	CF	PC+Aluminum	120V	34W	900Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1284-17-CH-L	LED Pendant	Φ17-3/4" WX 47-1/4" H	CH	PC+Aluminum	120V	56W	3200Lm	≥80Ra	3000K
B 1283-19-CH-L	LED Pendant	Φ19-1/4" WX 47-1/4" H	CH	PC+Aluminum	120V	53W	1640Lm	≥80Ra	3000K



A 1282-31-SH-L



A 1287-5-CH-L



B 1278-28-CH-L



B 1286-5-BK-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1282-31-SH-L	LED Pendant	31-1/2"LX5"WX47-1/4"H	SH	PC+Aluminum	120V	56W	3200Lm	≥80Ra	3000K
B 1278-28-CH-L	LED Pendant	Φ28"X70-7/8"H	CF	PC+Aluminum	120V	30W	1500Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1287-5-CH-L	LED Pendant	36"LX12-3/4"WX47-1/4"H	CH	PC+Aluminum	120V	52W	2950Lm	≥80Ra	3000K
B 1286-5-BK-L	LED Pendant	43-7/8"LX13-3/4"WX47-1/4"H	BK	PC+Aluminum	120V	51W	2000Lm	≥80Ra	3000K



A 1002-47-BK-L



A 1279-43-BN-L-2



B 1285-39-BK-L



B 1279-43-BN-L-4



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1002-47-BK-L	LED Pendant	47-1/4"LX5-1/2"WX47-1/4"H	BK	PC+Aluminum	120V	52W	1600Lm	≥80Ra	3000K
B 1285-39-BK-L	LED Pendant	47-1/4"LX5-1/2"WX47-1/4"H	BK	PC+Aluminum	120V	55W	1760Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1279-43-BN-L-2	LED Pendant	43-1/2"LX70-7/8"H	BN	PC+Aluminum	120V	36W	1700Lm	≥80Ra	3000K
B 1279-43-BN-L-4	LED Pendant	43-1/2"LX70-7/8"H	BN	PC+Aluminum	120V	52W	2220Lm	≥80Ra	3000K



A 1291-1-CH-L



A 1288-1-CH-L



B 1290-1-CH-L



B 1289-1-CH-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1291-1-CH-L	LED Pendant	Φ6-1/4"X47-1/4"H	CH	PC+Aluminum	120V	17W	1150Lm	≥80Ra	3000K
B 1290-1-CH-L	LED Pendant	7"WX47-1/4"H	CH	PC+Aluminum	120V	17W	840Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1288-1-CH-L	LED Pendant	Φ7-1/2"X47-1/4"H	CH	PC+Aluminum	120V	17W	1160Lm	≥80Ra	3000K
B 1289-1-CH-L	LED Pendant	Φ7-1/8"X47-1/4"H	CH	PC+Aluminum	120V	17W	1000Lm	≥80Ra	3000K



A 1117-1-CH



B 1018-1-BN



C 1079-1-BKAB-2



D 1118-1-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1117-1-CH	1Lt Min-Pendant	8-1/2"W X 12-3/4"H	CH	Steel+Clear Glass	120V	1x12W
B 1009-1-BN	1Lt Min-Pendant	5-1/2"W X 24"H	BN	Steel+Satin Opal Glass	120V	1x12W
C 1079-1-BKAB-2	1Lt Min-Pendant	4-3/4"W X 2"H	BKAB	Steel	120V	1x12W
D 1118-1-CH	1Lt Min-Pendant	Φ4-3/4" X 10-7/8"H	CH	Steel+Clear Glass	120V	1x12WG4

MIN-PENDANT



A 1104-1-BN



B 1119-1-BN



A 1121-1-BN



B 1017-1-CH-5



C 1017-1-BN-3



D 1017-1-BN-4



C 1009-1-BN



D 1078-1-BN

1078-1-BN



E 1123-1-AB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1104-1-BN	1Lt Min-Pendant	4 - 1/4" WX 7" H	BN	Steel+Clear Speeded Glass	120V	1x12W
B 1119-1-BN	1Lt Min-Pendant	Φ5" X 9 - 1/2" H	BN	Steel+Clear/Stripe Glass	120V	1x12W LED E27
C 1017-1-BN-3	1Lt Min-Pendant	Φ4 - 1/2" X 8 - 1/8" H	BN	Steel+Sandblast and Clear At Bottom Glass	120V	1x12W
D 1017-1-BN-4	1Lt Min-Pendant	Φ4 - 7/8" X 9 - 1/4" H	BN	Steel+Clear Glass +Satin Opal Glass	120V	1x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1121-1-BN	1Lt Min-Pendant	4" WX 5 - 3/4" H	BN	Steel-Cased Opal Etched Glass	120V	1x12W LEDE27
B 1017-1-CH-5	1Lt Min-Pendant	5" WX 5" H	CH	Steel+Satin Opal Glass	120V	1x12W
C 1009-1-BN	1Lt Min-Pendant	5 - 1/2" WX 24" H	BN	Steel+Opal Glass	120V	1x12W
D 1078-1-BN	1Lt Min-Pendant	6 - 1/8" WX 10 - 1/8" H	BN	Steel+Frosted Glass	120V	1x12W
E 1123-1-AB	1Lt Min-Pendant	4" WX 6" H	AB	Steel+Frosted Glass	120V	1x9W LED G9

MIN-PENDANT



A 1124-1-BN



B 1124-1-EB



C 1020-1-BN



D 1100-1-BN



A 1017-1-BN-6



B 1017-1-BN-2



C 1017-1-BN-1



F 1005-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1124-1-BN	1Lt Min-Pendant	6" WX 7" H	BN	Steel+Faux Alabaster Glass	120V	1x12W
B 1124-1-EB	1Lt Min-Pendant	6" WX 7" H	EB	Steel+Tuscan Sunste Glass	120V	1x12W
C 1020-1-BN	1Lt Min-Pendant	4-5/8" WX 12-1/4" H	BN	Steel+ Opal Glass	120V	1x12W
D 1100-1-BN	1Lt Min-Pendant	4" WX 7-1/4" H	BN	Steel+Borosi Licate Glass	120V	1x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1017-1-BN-6	1Lt Min-Pendant	5" WX 8-1/8" H	BN	Steel+Clear Glass +Frosted Glass	120V	1x12W
B 1017-1-BN-2	1Lt Min-Pendant	4-3/4" WX 12-1/4" H	BN	Steel+Satin Opal Glass+Clear Glass	120V	1x12W
C 1017-1-BN-1	1Lt Min-Pendant	3-7/8" WX 14" H	BN	Steel+Satin Opal Glass	120V	1x12W
D 1005-4-BN	1Lt Min-Pendant	4" WX 48-1/4" H	BN	Steel+Frosted Glass	120V	1x12W

MIN-PENDANT




A 1125-1-BK



B 1138-1-WH



C 1099-1-WH



A 1108-1-CH



B 1140-1-BK



C 1139-1-BKCH



D 1106-4-EB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1125-1-BK	1Lt Min-Pendant	13-5/8" WX 13-1/4" H	BK	Steel	120V	1x12W
B 1138-1-WH	1Lt Min-Pendant	13" WX 13-3/4" H	WH	Steel+Wood	120V	1x12W
C 1099-1-WH	1Lt Min-Pendant	15-1/2" WX 7-1/2" H	WH	Steel	120V	1x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1108-1-CH	1Lt Min-Pendant	14-1/2" WX 13" H	CH	Steel+Glass	120V	1x12W
B 1140-1-BK	1Lt Min-Pendant	5-1/2" WX 59-1/8" H	BK	Steel+Opal Glass	120V	1x12W
C 1139-1-BKCH	1Lt Min-Pendant	9-1/2" LX 12" WX 15" H	BK+CH	Steel	120V	1x12W GU10
D 1106-4-EB	1Lt Min-Pendant	13-3/8" WX 20-3/8" H	BN	Steel	120V	4x12W

MIN-PENDANT



A 1181-10-OZ

B 1181-12-OZ



C 1029-1-BK-7



D 1120-1-OZ



E 1089-1-BK



A 1029-1-BK-3



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1181-10-OZ	1Lt Min-Pendant	9-5/8"W X 8-1/4"H	OZ	Steel+Clear Ribbed Glass	120V	1x12W
B 1181-12-OZ	1Lt Min-Pendant	12"W X 9-1/4"H	OZ	Steel+Clear Ribbed Glass	120V	1x12W
C 1029-1-BK-2	1Lt Min-Pendant	5-1/2"W X 15-1/8"H	BK	Steel+Clear Glass	120V	1x12W
D 1120-1-OZ	1Lt Min-Pendant	13-3/4"W X 21-1/4"H	OZ	Steel	120V	1x12W
E 1089-1-BK	1Lt Min-Pendant	6-1/2"W X 11-1/2"H	BK+CH	Steel	120V	1X12W LED E27

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1078-1-BN	1Lt Min-Pendant	9-7/8"W X 10-3/8"H	BK	Steel	120V	1x12W
B 1109-5-BK	5Lt Pendant	26-3/4"L X 6"W X 39-1/4"H	BK	Steel+Clear Glass	120V	1x12W

MIN-PENDANT



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1105-1-BN	1Lt Min-Pendant	11-3/4"W X 10-1/2"H	BN	Steel+Aluminum	120V	1x60W		
B 1141-1-BN-L	1Lt Min-Pendant	2"W X 9-1/4"H	BN	Steel	120V	6W	≥80Ra	3000K
C 1030-SS-L	1Lt Min-Pendant	3-1/2"W X 10-1/4"H	SS	Aluminum	120V	9W	≥80Ra	3000K

MIN-PENDANT



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-9	1Lt Pendant	6-1/2"W X 11"H	BN	Steel+Art Glass	120V	1x12W
B 1031-1-BN-10	1Lt Pendant	6-7/8"W X 8"H	BN	Steel+Art Glass	120V	1x12W
C 1031-1-BN-11	1Lt Pendant	3-3/4"W X 7-5/8"H	BN	Steel+Art Glass	120V	1x12W
D 1031-1-BN-12	1Lt Pendant	6-1/2"W X 11"H	BN	Steel+Art Glass	120V	1x12W

MIN-PENDANT




Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-1	1Lt Pendant	3-7/8" WX 13-1/8" H	BN	Steel+Art Glass	120V	1x12W
B 1031-1-BN-2	1Lt Pendant	4-3/8" WX 16-1/2" H	BN	Steel+Art Glass	120V	1x12W
C 1031-1-BN-3	1Lt Pendant	7-5/8" WX 9" H	BN	Steel+Art Glass	120V	1x12W
D 1031-1-BN-4	1Lt Pendant	6-1/8" WX 14" H	BN	Steel+Art Glass	120V	1x12W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-7	1Lt Pendant	6-3/8" WX 8-1/2" H	BN	Steel+Art Glass	120V	1x12W
B 1031-1-BN-8	1Lt Pendant	2-5/8" WX 5" H	BN	Steel+Art Glass	120V	1x12W
C 1031-1-BN-5	1Lt Pendant	5-7/8" WX 11-7/8" H	BN	Steel	120V	1x12W
D 1031-1-BN-6	1Lt Pendant	3-7/8" WX 11-1/2" H	BN	Steel+Art Glass	120V	1x12W

MIN-PENDANT



A 1101-1-PB



B 1098-1-PB



A 1090-1-ORB



B 1102-1-BN



C 1021-1-PB



D 1112-16-EB



C 1130-16-BN



1103-1-OB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1101-1-PB	1Lt Min-Pendant	15"Wx 11"H	PB	Steel+Clear Ribbed Glass	120V	1x12W
B 1098-1-PB	1Lt Min-Pendant	15"Wx 12"H	PB	Steel+White Acrylic	120V	1x12W
C 1021-1-PB	1Lt Min-Pendant	15"Wx 10-1/2"H	PB	Steel+Clear Glass	120V	1x12W
D 1112-16-EB	1Lt Min-Pendant	15-7/8"Wx 13-7/8"H	EB	Steel+Flux Alabaster Glass	120V	1x12W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1090-1-ORB	1Lt Min-Pendant	7-3/8"Wx 5-5/8"H	ORB	Steel+Frosted Glass	120V	1x12W
B 1102-1-BN	1Lt Min-Pendant	8-1/8"Wx 9-1/4"H	BN	Faux Alabaster Glass+Steel	120V	1x12W
C 1130-16-BN	1Lt Min-Pendant	15-7/8"Wx 9-1/2"H	BN	Steel+Frosted Glass	120V	1x12W
D 1103-1-OB	1Lt Min-Pendant	15-7/8"Wx 9-1/4"H	OB	Faux Alabaster Glass+Steel	120V	1x12W